




Manufacturer Of Led Lights





About Us :

Led lighting high on illumination and low on energy consumption with no compromise In energy saving, the eco-friendly range of led from Rathore Light INDIA offer you high Quality optics that promises uniform lighting.

A self-motivated and dependable professional who provides outstanding customer service, efficiently processes a high volume of error-free transactions and consistently meets scorecard goals. A professional with a strong commitment to superior customer service coupled with first-rate communication skills that build significant customer loyalty and trust.

Team player with extensive experience in office management, exceptional interpersonal and communications skills, with particular expertise in planning, organizing and implementing detailed business solutions.

LIFE'S
BEAUTIFUL. DON'T
MISS A MOMENT OF IT!

REX 
LED LIGHTS



REX 
LED LIGHTS

THE WORLD
DOESN'T GET BETTER BY CHANCE.
IT DOES BY CHANGE ..!

MAGNETIC TRACK LIGHTS

MAGNETIC TRACK (1M, 2M, 3M)



TRACK RECESS



TRACK UPPER COLER



TRACK SURFACE



TRACK SURFACE 25X25



L CORNER RECESS



L CORNER UPPER COLER



MAGNATIC SPRING SET



MAIN JOINTER



L JOINTER



I JOINTER



DIFFUSER



LINEAR



TRACK SPOT



SLIM SPOT



SLIM SPOT



HANGING BALL



HANGING LIGHT



L DIFFUSER

ROPE LIGHT

REX 
LED LIGHTS



Specification

Generic Name	Rope Light
Weight	4 Kg Per Roll
Length	50 Meter
Voltage	220V~240V AC
Wattage	10W Per Mtr.
Dimension WxH (mm)	11 x 6
Colours Available CW, WW, NW, Red, Blue, Green, Pink, Ice Blue, Amber Tri-colour (Flag), Tri-colour	
Standard Packing	3 Roll (50 Mtr. Each Roll)

THE MAGIC
OF LIGHT
THE WONDER
OF LED

STRIP LIGHT



THE MAGIC
OF LIGHT
THE WONDER
OF LED




Specification

Generic Name	Strip Light
Weight	300 gm
Length	5 Meter
Voltage	12V
Wattage Per Mtr.	5W _(60 LED) /10W _(120 LED) /25W _(240 LED)
Discription (MM)	60 LED (8mm) /120 LED (8mm) /240 LED (10mm)
Colours Available	
CW, WW, NW, Red, Blue, Green, Pink, Ice Blue, Amber	
Standard Packing	50 Roll (5 Mtr. Each Roll)

Specification

Generic Name	Strip Light
Weight	300 gm
Length	5 Meter
Voltage	24V
Wattage Per Mtr.	5W _(60 LED) /10W _(120 LED) /25W _(240 LED)
Discription (MM)	60 LED (8mm) /120 LED (8mm) /240 LED (10mm)
Colours Available	
CW, WW, NW, Red, Blue, Green, Pink, Ice Blue, Amber	
Standard Packing	50 Roll (5 Mtr. Each Roll)

POWER SUPPLY



Specification	
Generic Name	SMPS Driver 12V
High Voltage	350 Volt
Surge Capacity	2.5 kv
Voltage	85V~350V
Power Factor	>0.6 (HPF)
Wattage	2A / 3A / 5A / 10A /16A/ 25A / 33.3A
Efficiency	70% - 80% Power
Standard Packing	100 Pcs.

Specification	
Generic Name	SMPS Driver 24V
High Voltage	350 Volt
Surge Capacity	2.5 kv
Voltage	85V~350V
Power Factor	>0.6 (HPF)
Wattage	2A / 3A / 5A / 10A /16A/ 25A / 33.3A
Efficiency	70% - 80% Power
Standard Packing	100 Pcs.

COB LIGHT

REX 
LED LIGHTS



Pearl



Crystal

Specification

Generic Name	Deep COB Spot Light
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	7W / 12W / 18W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	Body Colour BLACK & WHITE
Reflector Colour: Rose Gold, Gun Black, Chrome	
Standard Packing	20 Pcs.

Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
7W	63	50	60
12W	85	75	80
18W	90	80	93

COB LIGHT

REX 
LED LIGHTS



Curve Cob



Specification

Generic Name	Curve COB Spot Loght
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	7W / 12W / 18W / 24W
Double	2x7W / 12x12 W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	Body Colour BLACK & WHITE
Reflector Colour : Rose Gold, Gun Black, Champion Gold, Matt Black, Matt White, Foggy Silver	
Standard Packing	20 Pcs.

Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
7W	62	55	59
12W	85	75	64
18W	105	95	72
24W	130	115	73

CABINET LIGHT

REX 
LED LIGHTS



Pluto

Fio



Specification	
Generic Name	Spot Light (Aluminium)
High Voltage	300 Volt
Surge Capacity	2 kv
Voltage	160V~300V
Wattage	5W
Power Factor	>0.95 (HPF)
Dimention (MM)	Dia41, Cut Size33, Height 20
Colours Available WW, NW	Body Colour BLACK, WHITE, ROSE GOLD
Standard Packing	100 Pcs.

Specification	
Generic Name	Spot Light (Plastic)
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	160V~350V
Wattage	2W
Power Factor	>0.95 (HPF)
Dimention (MM)	Dia41, Cut Size33, Height 15
Colours Available CW, WW, NW, Red, Blue, Green, Pink	Body Colour BLACK & WHITE,
Standard Packing	100 Pcs.

COB SURFACE CYLINDER



Platinum

Magnum

Dimension

	Dia (mm)	Height (mm)
7W	53.2	70.6
12W	71.3	89.4
18W	94.9	98.4

Specification

Generic Name	Single/Double Body Cylinder Spot Light
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	7W / 12W / 18W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	Body Colour BLACK & WHITE
Reflector Colour: Rose Gold, Gun Black	
Standard Packing	7w/12w (50 Pcs.) 18w (20 Pcs.)

Specification

Generic Name	360° Cylinder Spot Light
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	12W / 18W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	Body Colour BLACK
Reflector Colour: Rose Gold, Gun Black	
Standard Packing	50 Pcs.



REX 
LED LIGHTS

*Power to
illuminate*
*Passion to
innovate*

SKYLO PC PANEL

REX 
LED LIGHTS



Skylo


Specification

Generic Name	PC Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	8W / 12W / 15W / 22W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW, Red, Blue, Green, Pink, Tri-Colour	
Standard Packing	8w (40 Pcs.) 12/15&22w (20 Pcs.)

Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
8W	115	95	33
12W	140	125	33
15W	165	155	33
22W	215	203	33

Surface Rings PushoTFit



Available Wattage : 8W / 15 W / 22 W

TENGO PANEL



THE **BEAUTY**
THAT NEVER
FADE



Tengo

Specification

Generic Name	Backlight Panel (dob)
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	6W / 12W / 18W / 24W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	
Standard Packing	50 Pcs.


Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
6W	102	74	30
12W	128	100	30
18W	153	125	30
24W	178	150	30

ALUMINIUM SLIM PANEL



Glamour



Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
3W	89	75	25
6W	115	95	25
12W	165	155	25
18W	215	203	25
24W	320	305	25

Specification

Generic Name	Slim Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	3W / 6W / 12W / 18W / 24W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW, Tri-Colour	
Standard Packing	3w (50Pcs.) 6w (40 Pcs.) 12/18/24w (20 Pcs.)

Dimension

	Dia (mm)	Height (mm)
6W	115	35
12W	165	35
18W	215	35
24W	320	35

Specification

Generic Name	Surface Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	6W / 12W / 18W / 24W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW, Tri-Colour	
Standard Packing	6w (40 Pcs.) 12/18/24w (20 Pcs.)

DUAL PANEL



Fusion



Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
3+3	105	65	27
6+3	145	100	27
12+4	190	150	27

Specification

Generic Name	2 IN 1 Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	3+3 / 6+3 / 12+4
Power Factor	>0.95 (HPF)
Colours Available CW+WW, CW+BLUE, CW+GREEN, CW+PINK, CW+RED, CW+PBG, CW+RGB	
Standard Packing	3+3/6+3 (50 Pcs.) 12+4 (20 Pcs.)

Dimension

	Dia (mm)	Height (mm)
3+3	105	35
6+3	145	35
12+4	190	35

Specification

Generic Name	2 IN 1 Surface Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	3+3 / 6+3 / 12+4
Power Factor	>0.95 (HPF)
Colours Available CW+WW, CW+BLUE, CW+GREEN, CW+PINK, CW+RED, CW+PBG, CW+RGB	
Standard Packing	3+3/6+3 (50 Pcs.) 12+4 (20 Pcs.)

SURFACE LIGHT



Flaton



Dimension

	Dia (mm)	Height (mm)
8W	85	35
15W	142	35

Dimension

	Dia (mm)	Height (mm)
8W	90	30
15W	150	30
22W	203	30

Specification

Generic Name	Moon Light
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	8W / 15W
Power Factor	>0.95 (HPF)
Colours Available	
CW, WW, NW, Red, Blue, Green, Pink, Tri-Colour	
Standard Packing	8w (50 Pcs.) 15w (20 Pcs.)

Specification

Generic Name	Rimless Surface
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	8W / 15W / 22W
Power Factor	>0.95 (HPF)
Colours Available	
CW, WW, NW, Red, Blue, Green, Pink, Tri-Colour	
Body Colour	
BLACK & WHITE	
Standard Packing	8w (50 Pcs.) 15&22w (20 Pcs.)

Make your good times *Amazing!*



REX 
LED LIGHTS

LED

STRIKER

REX 
LED LIGHTS



Sapphire



Oreo

Specification

Generic Name	Lens Striker (DOB)
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	3W
Power Factor	>0.95 (HPF)
Dimmension	61 x 17
Colours Available CW, WW, NW, Red, Blue, Green, Pink, Tri-colour	
Standard Packing	100 Pcs.

Specification

Generic Name	Moon Striker (DOB)
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	5W
Power Factor	>0.95 (HPF)
Dimmension	61 x 17
Colours Available CW, WW, NW, Red, Blue, Green, Pink, Tri-colour	
Standard Packing	100 Pcs.

ADJUSTABLE PANEL



Bloom

Specification

Generic Name	Adjustable Panel
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	8W / 12W / 18W
Power Factor	>0.95 (HPF)
Colours Available	
CW, WW, NW, Red, Blue, Green, Pink, Tri-colour	
Standard Packing	8w (50 Pcs.)12/18w (20 Pcs.)

Dimension


	Dia (Inch)	Adjustable Cut Size (Inch)	Height (Inch)
8W	4.5	2.5-4	1.5
12W	5.5	2.5-5	1.5
18W	6.5	2.5-6	1.5

DEEP DOWNLIGHTER

REX 
LED LIGHTS



Royal



Specification

Generic Name	Deep Panel
Shapes	Round / Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	12W / 18W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW	
Standard Packing	20 Pcs.

Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
12W	120	110	35
18W	155	145	35

MOVABLE COB DOWNLIGHTER

REX 
LED LIGHTS



Specification

Generic Name	Movable Lens COB
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	7W / 12W / 18W
Power Factor	>0.95 (HPF)
Colours Available CW, WW, NW, Red, Blue, Green, Pink	
Standard Packing	50 Pcs.

Dimension

	Dia (mm)	Cut Out (mm)	Height (mm)
7W	70	40	40
12W	106	75	47
18W	128	98	55

CONCEALED

REX 
LED LIGHTS



Hector



Sparkle



Specification

Generic Name	Concealed
Shapes	Round
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	7W
Power Factor	>0.95 (HPF)
Colours Available	CW, WW, NW, Red, Blue, Green, Pink, Tri-colour
Standard Packing	50 Pcs.

THE MAGIC
OF LIGHT
THE WONDER
OF LED



2 x 2 PANEL



Diamond



Specification

Generic Name	2 x 2
Shapes	Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	48W
Power Factor	>0.95 (HPF)
Dimmension (MM)	595 x 595 x 30
Colours Available CW, WW, NW	
Standard Packing	4 Pcs.

SEE YOUR
WORLD
IN A BETTER
LIGHT

FLOOD LIGHT

REX 
LED LIGHTS

Esteem



Specification

Generic Name	Esteem Flood Light
Shapes	Square
High Voltage	440 Volt
Surge Capacity	6 kv
Voltage	85V~350V
Wattage	30W / 50W / 100W / 150W / 200W
Power Factor	>0.95 (HPF)
Waterproof	IP 65
Colours Available	CW, WW, NW
Standard Packing	20 Pcs.

SEE YOUR
WORLD
IN A BETTER
LIGHT

PC FLOOD & STREET LIGHT



Flora



Classic



Specification	
Generic Name	PC Flood Light
Shapes	Square
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	10W / 200W
Power Factor	>0.95 (HPF)
Waterproof	IP 65
Colours Available CW, WW, NW	
Standard Packing	50 Pcs.

Specification	
Generic Name	PC Street Light
High Voltage	440 Volt
Surge Capacity	4 kv
Voltage	85V~350V
Wattage	30W
Power Factor	>0.95 (HPF)
Waterproof	IP 65
Colours Available CW, WW, NW	
Standard Packing	50 Pcs.

STREET LIGHT

REX 
LED LIGHTS



Roma



Specification


Generic Name	Street Light
High Voltage	440 Volt
Surge Capacity	6 kv
Voltage	85V~350V
Wattage	24W / 30W / 50W / 100W
Power Factor	>0.95 (HPF)
Waterproof	IP 65
Colours Available	CW, WW, NW
Standard Packing	20 Pcs.

THE MAGIC
OF LIGHT
THE WONDER
OF LED




LED LIGHTS

LINEAR ALLUMINIUM LED PROFILE




08/09




17/06

**17/06 HEAVY
17/06 BK**



10/13




23/10


23/10 BK



14/08



20/15



15/06



68/68



LED LIGHTS

LINEAR ALLUMINIUM LED PROFILE



17/12
17/12



12/06 COLLAR



CORNER 08/08



CORNER 16/16V
CORNER 30/30V



35/12 COLLAR



35/20 COLLAR



50/12 COLLAR



50/20 COLLAR



WARDROBE SILVER



WARDROBE BLK



WARDROBE UP/DOWN



GLASS PROFILE

FLEXIBLE LED PROFILE



1010



1210



1212



1510



1616



2010



2510



2517

OUTDOOR LIGHT



REX 
LED LIGHTS




Sunny
Page No: 8



Crystal Ball
Page No 5



Leaf
Page No: 6



Shield
Page No: 6



Dhruv
Page No: 7



Wonder
Page No: 7



Butterfly
Page No-8



Hybrid
Page No- 9



Prism
Page No-10-11




Turtle
Page No-12-13




K-lite
Page No-14




Purse
Page No-15



Cube
Page No 16



Moon
Page No 17



Footlite
Page No 18



Footlite
Page No 19



TDI
Page No 20



Glare
Page No: 20



Quantam
Page No- 21



TDI Pole
Page No- 22



TDI
Page No- 23



Unicorn
Page No: 24-25



Leo
Page No: 26



Twin Tower
Page No: 27



Moon SQ.
Page No- 28



Moon Rd.
Page No- 29



Yureca
Page No- 30



Pearl
Page No: 31



Signature
Page No: 32



Glanza
Page No: 33



World Cup
Page No-34




World Cup
Page No- 34



Yureca
Page No- 30

THE MAGIC
OF LIGHT
THE WONDER
OF LED

UPCOMING



SENSOR LIGHT



RGB ROPE LIGHT



SOLAR FLOOD LIGHT



SOLAR STREET LIGHT



COB LIGHT NEW RANGE



CYLINDER LIGHT NEW RANGE



+91-9971131479, 8826435170, 9289999099



rexolight169@gmail.com



www.rexoledlights.com



Corporate Office :

Flat No. 206, 1st Floor, Pitampura Village

Khasra No. 450/2, Near Janta Flats, New Delhi-110034